



奈米標章  
nanoMark

# CERTIFICATE

Certificate No. 2021-019

This is to certify that the products listed below produced by

**Hocheng Corporation**

are in compliance with the requirements of nanoMark Product Certification System

- I. Company Name : **Hocheng Corporation**
- II. Company Certificate : **No.019**
- III. Address : **No. 135, Houzhuang, Bade Dist.,  
Taoyuan County 334, Taiwan (R.O.C)**
- IV. Representative : **Chiu, Li-Chien**
- V. Approved product : **Anti-Smudge Sanitary Facilities**
- VI. Product name, model/specification, approved item number and efficacy:  
please refer to the Appendix
- VII. Date of Certificate Issuance : **Jan. 01, 2021**  
Date of Certificate Expiration : **Dec. 31, 2021**

**Taiwan Nanotechnology  
Industry Development Association**



Jan.01, 2021



奈米標章  
nanoMark

# Appendix

Certificate No. 2021-019

- I. Company Name : **Hocheng Corporation**
- II. Approved product : **Anti-Smudge Sanitary Facilities**
- III. Product name, model/specification, approved item number and efficacy:

Product name	Model / Specification	Approved item number	Efficacy	Product name	Model / Specification	Approved item number	Efficacy	
One piece toilet	C160	00122	In compliance with the requirements of 「TN-008 Verification and Validation Standard on Anti-Smudgy Sanitary Facilities」: the following specifications are satisfied, (1)The water contact angle is higher than 100°. The residual ratio of contaminant is less than 1%. The residual ratio of dense-contaminant is less than 1%. (2)Durability (scrub resistance) test : The contact angle is higher than 100° after 2000 cycles of scrubbing, the residual ratio of contaminant is less than 1% and the residual ratio of dense contaminant is less than 5%.	Close-couple toilet	CS999	00152	In compliance with the requirements of 「TN-008 Verification and Validation Standard on Anti-Smudgy Sanitary Facilities」: the following specifications are satisfied, (1)The water contact angle is higher than 100°. The residual ratio of contaminant is less than 1%. The residual ratio of dense-contaminant is less than 1%. (2)Durability (scrub resistance) test : The contact angle is higher than 100° after 2000 cycles of scrubbing, the residual ratio of contaminant is less than 1% and the residual ratio of dense contaminant is less than 5%.	
	AFC233	00123			CS4272P	00153		
	C239ST	00124			C4288NBPAdb	00154		
	C301ST	00125			CS4384Adb	00155		
	C333AdbST	00126			CS4386AAdb	00156		
	C335ST	00127			C4388Adb	00157		
	C660AdbST	00128			CS4389PAdb	00158		
	C800AdbMUST	00129			C4515	00159		
	C840AdbMUST	00130			C5516PUAdb	00160		
	C899AdbMUST	00131			C5517PUAdb	00161		
	C4283AdbST	00132			C5518EAdb	00162		
	C4286AdbST	00133			U24	00163		
	C4289PAdbST	00134				U28		00164
	C5519NAdbMUST	00135				U29		00165
	C6677	00136				U29N		00166
C41N	00137	U289	00167					
Close-couple toilet	C106NAdb	00138	Urinal	U333BAdb		00168		
	C108N	00139		U660Adb		00169		
	C109N	00140		U661		00170		
	C128Adb	00141		U800Adb		00171		
	CS130E	00142		U999		00172		
	CS140E	00143		U4485Adb		00173		
	C141N	00144		U4486Adb		00174		
	C142N	00145		L100		00175		
	C145N	00146				L101Adb	00176	
	C218	00147				L102Adb	00177	
	CS662Adb	00148			LF103Q	00178		
	CS662A	00149			L104SAdb	00179		
	CS802NAdb	00150			LF105	00180		
	CS923Adb	00151			L107S	00181		
	Close-couple toilet					Wash Basin		

**Taiwan Nanotechnology  
Industry Development Association**

Jan.01, 2021





奈米標章  
nanoMark

# Appendix

Certificate No. 2021-019

- I. Company Name : **Hocheng Corporation**
- II. Approved product : **Anti-Smudge Sanitary Facilities**
- III. Product name, model/specification, approved item number and efficacy:

Product name	Model / Specification	Approved item number	Efficacy	Product name	Model / Specification	Approved item number	Efficacy
Wash Basin	L120S	00182	In compliance with the requirements of 「TN-008 Verification and Validation Standard on Anti-Smudgy Sanitary Facilities」: the following specifications are satisfied, (1)The water contact angle is higher than 100°. The residual ratio of contaminant is less than 1%. The residual ratio of dense-contaminant is less than 1%. (2)Durability (scrub resistance) test : The contact angle is higher than 100° after 2000 cycles of scrubbing, the residual ratio of contaminant is less than 1% and the residual ratio of dense contaminant is less than 5%.	Wash Basin	L4056	00212	In compliance with the requirements of 「TN-008 Verification and Validation Standard on Anti-Smudgy Sanitary Facilities」: the following specifications are satisfied, (1)The water contact angle is higher than 100°. The residual ratio of contaminant is less than 1%. The residual ratio of dense-contaminant is less than 1%. (2)Durability (scrub resistance) test : The contact angle is higher than 100° after 2000 cycles of scrubbing, the residual ratio of contaminant is less than 1% and the residual ratio of dense contaminant is less than 5%.
	LF131SAdbR	00183			L4080	00213	
	LC134TG	00184			L4112SR	00214	
	LF161SAdbR	00185			LF4112SR	00215	
	L186SAdb	00186			LF4113SR	00216	
	L201S	00187			L4122S	00217	
	L252S	00188			LF4140R	00218	
	LF257SAdbR	00189			LF4174S	00219	
	LF259SAdbR	00190			LF4182SAdbR	00220	
	LF320	00191			LF4185SAdbR	00221	
	L323S	00192			LF5513NSAdb	00222	
	L333SAdbR	00193			L6633SAdb	00223	
	L337N	00194			L7080	00224	
	L351	00195		Following blank			
	L351S	00196					
	LF358SR	00197					
	L363NS	00198					
	LF367SR	00199					
	LF800SAdbR	00200					
	LF802SAdbR	00201					
	L957S	00202					
	LF964S	00203					
	L970SAdb	00204					
L3038	00205						
L4001	00206						
L4002S	00207						
L4003S	00208						
L4006	00209						
L4010	00210						
L4011	00211						

**Taiwan Nanotechnology  
Industry Development Association**

Jan.01, 2021