



奈米標章
nanoMark

CERTIFICATE

Certificate No. 2021-018

This is to certify that the products listed below produced by

SANITAR CO., LTD.

are in compliance with the requirements of nanoMark Product Certification System

- I. Company Name : **SANITAR CO., LTD.**
- II. Company Certificate : **No.028**
- III. Address : **7F, NO. 111-8, HSING DE ROAD, SAN CHUNG CITY,
TAIPEI, TAIWAN.(Application)
NHONTRACH I INDUSTRIAL ZONE, DONG NAI PROVINCE,
VIETNAM(Factory)**
- IV. Representative : **HSIAO, CHUN-HSIANG**
- V. Approved product : **Nano Antibacterial Product**
- VI. Product name, model/specification, approved item number and efficacy:
please refer to the Appendix
- VII. Date of Certificate Issuance : **Jan. 01, 2021**
Date of Certificate Expiration : **Dec. 31, 2021**

**Taiwan Nanotechnology
Industry Development Association**



Jan.01, 2021



奈米標章
nanoMark

Appendix

Certificate No. 2021-018

- I. Company Name : **SANITAR CO., LTD.**
 II. Approved product : **Nano Antibacterial Product**
 III. Product name, model/specification, approved item number and efficacy:

Product name	Model / Specification	Approved item number	Efficacy	Product name	Model / Specification	Approved item number	Efficacy
One piece toilet	C1358N	01733	In compliance with the requirements of 「TN-052 Verification and Validation Standard on Nano Antibacterial Products -Type II」 : the following specifications are satisfied, (1)The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 99% before scrub resistance test.	One piece toilet	C1385N	02921	In compliance with the requirements of 「TN-052 Verification and Validation Standard on Nano Antibacterial Products -Type II」 : the following specifications are satisfied, (1)The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 99% before scrub resistance test.
	C1458N	01734			C1650N	02922	
	CF1347N	01739			C1383N	03052	
	CF1447N	01740			C1384N	03053	
	CA1380N	01749			C1561N	03054	
	CF1475N	01752			C1394N	03158	
	CPT1503N	01755			CF1375N-PW	03159	
	CPT1502N	01756			CF1374N-PW	03160	
	CPT1501N	01757			CF1474N-PW	03161	
	CF1356N	01758	(2)Durability (scrub resistance) test : The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 90% after scrubbing for 2000 cycles with 450g sponge.	Close-couple toilet	CF1240N	01769	(2)Durability (scrub resistance) test : The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 99% before scrub resistance test.
	CF1456N	01759			CF1340N	01770	
	CA1390N	01760			CF1345N	01774	
	C1352N	01761			CF1346N	01775	
	C1379N	01762			CF1446N	01776	
	C1479N	01763			CT1323N	01777	
	CA1381N	01764			CT1325N	01778	
	CF1378N	01766			CT1425N	01779	
	CF1478N	01767			CF1325N	01780	(3)The PH value of skin irritant is less than 2, and there is no abnormality in oral acute toxicity.
	C1353N	02907			CF1425N	01781	
	C1453N	02908			CT1326N	01782	
	CF1382N	02911			CT1426N	01783	
	CP1504N	02912			CB1326N	01784	
	CP1506N	02913			CB1426N	01785	
	CF1344N	02914			CF1330N	01786	
	CF1444N	02915			CF1331N	01787	
	C1364N	02916			CF1431N	01788	
	C1464N	02917			CF1338N	01789	
	CF1342N	02918			CPT1332N	01790	
	CF1442N	02919			CF1333N	01791	
	C1680N	02920			CF1440N	01792	

**Taiwan Nanotechnology
Industry Development Association**

Jan.01, 2021



奈米標章
nanoMark

Appendix

Certificate No. 2021-018

- I. Company Name : **SANITAR CO., LTD.**
 II. Approved product : **Nano Antibacterial Product**
 III. Product name, model/specification, approved item number and efficacy:

Product name	Model / Specification	Approved item number	Efficacy	Product name	Model / Specification	Approved item number	Efficacy
Close-couple toilet	CT1026N	01794	In compliance with the requirements of 「TN-052 Verification and Validation Standard on Nano Antibacterial Products -Type II」 : the following specifications are satisfied, (1)The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 99% before scrub resistance test. (2)Durability (scrub resistance) test : The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 90% after scrubbing for 2000 cycles with 450g sponge. (3)The PH value of skin irritant is less than 2, and there is no abnormality in oral acute toxicity.	Close-couple toilet	CJU1550BN	02940	In compliance with the requirements of 「TN-052 Verification and Validation Standard on Nano Antibacterial Products -Type II」 : the following specifications are satisfied, (1)The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 99% before scrub resistance test. (2)Durability (scrub resistance) test : The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 90% after scrubbing for 2000 cycles with 450g sponge. (3)The PH value of skin irritant is less than 2, and there is no abnormality in oral acute toxicity.
	CF1348N	01798			CT1423N	02941	
	CF1448N	01799			CF1320N-PW	03162	
	CF1341N	01800			CF1320N-BI	03163	
	CF1441N	01801			CF1420N-PW	03164	
	CF1349N	01802			CF1420N-BI	03165	
	CF1449N	01803		Squatting toilet	C1230N	01812	
	CT1325JN	01804			CS1230N	01813	
	CT1425JN	01805			C1250N	01814	
	CF1325JN	01806			CT1250N	01815	
	CF1425JN	01807			C1280N	01817	
	CF1151N	01808			CS1280N	01818	
	CF1351N	01810			C1290N	01819	
	CF1530UN	02923		Wash Basin	L2155N	01820	
	CF1530NN	02924			L2230N	01821	
	CF1551UN	02925			L2360NS	01825	
	CF1551NN	02926			L2560N	01826	
	CF1551PN	02927			L5121N	01829	
	CF1545UN	02928			LF5024N	01833	
	CF1545NN	02929			LF5026N	01834	
	CF1545PN	02930			LF5028N	01835	
	C1649N	02931			LF5030N	01836	
	CJU1550N	02932			LF5032N	01837	
	CJN1550N	02933			L5119N	01838	
	CJP1550N	02934			LF5236N	01843	
	CJP1550AN	02935			LF5240N	01844	
	CJP1550BN	02936			LF5302N	01847	
	CJN1550AN	02937			LF5304N	01848	
	CJN1550BN	02938			LF5306N	01849	
	CJU1550AN	02939			LF5312N	01852	

**Taiwan Nanotechnology
Industry Development Association**

Jan.01, 2021



奈米標章
nanoMark

Appendix

Certificate No. 2021-018

- I. Company Name : **SANITAR CO., LTD.**
 II. Approved product : **Nano Antibacterial Product**
 III. Product name, model/specification, approved item number and efficacy:

Product name	Model / Specification	Approved item number	Efficacy	Product name	Model / Specification	Approved item number	Efficacy
Wash Basin	LF5314N	01853	In compliance with the requirements of 「TN-052 Verification and Validation Standard on Nano Antibacterial Products -Type II」: the following specifications are satisfied, (1)The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 99% before scrub resistance test. (2)Durability (scrub resistance) test : The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 90% after scrubbing for 2000 cycles with 450g sponge. (3)The PH value of skin irritant is less than 2, and there is no abnormality in oral acute toxicity.	Wash Basin	LF5128N	02945	In compliance with the requirements of 「TN-052 Verification and Validation Standard on Nano Antibacterial Products -Type II」: the following specifications are satisfied, (1)The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 99% before scrub resistance test. (2)Durability (scrub resistance) test : The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 90% after scrubbing for 2000 cycles with 450g sponge. (3)The PH value of skin irritant is less than 2, and there is no abnormality in oral acute toxicity.
	LF5316N	01854			LF5130N	02946	
	LF5318N	01855			LF5239N	02948	
	LF5320N	01856			LF5239NS	02949	
	LF5338N	01858			LF5038N	02954	
	L2220N	01859			LF5253N	02955	
	L2150N	01860			LF5120N	02956	
	L5018N	01863			LF5255N	02958	
	L5020N	01864			LF5257N	02959	
	L5113N	01866			LF5019N	02960	
	L5115N	01867			LF5380N	02961	
	L5222N	01869			LF5382N	02962	
	LF5232N	01870			LF5384N	02963	
	LF5238N	01871			LF5386N	02964	
	L2014N	01872			LF5388N	02965	
	L5215N	01873			LF5260N	02966	
	LF5252N	01875			LF5364N	02967	
	LF5254N	01876			LF5362N	02968	
	LF5256N	01877			LF5368N	02969	
	LF5258N	01878			LF5370N	02970	
	LF5239N	01880			LF5372N	02971	
	LF5239SN	01881			LF5374N	02972	
	LF5324N	01882			LF5376N	02973	
	LF5036N	01883			LF5019NS	02974	
	LF2270N	01884			LF2270NS	02975	
	LF2015AN	01885			L2560NS	02976	
	L5125N	01886			L2230NS	02977	
	LF5016N	02942			L2220NS	02978	
	LF5017N	02943			L2220ND	02979	
	LF5118N	02944			L2155NS	02980	

**Taiwan Nanotechnology
Industry Development Association**

Jan.01, 2021



奈米標章
nanoMark

Appendix

Certificate No. 2021-018

- I. Company Name : **SANITAR CO., LTD.**
 II. Approved product : **Nano Antibacterial Product**
 III. Product name, model/specification, approved item number and efficacy:

Product name	Model / Specification	Approved item number	Efficacy	Product name	Model / Specification	Approved item number	Efficacy
Wash Basin	L2155ND	02981	In compliance with the requirements of 「TN-052 Verification and Validation Standard on Nano Antibacterial Products -Type II」 : the following specifications are satisfied, (1)The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 99% before scrub resistance test. (2)Durability (scrub resistance) test : The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 90% after scrubbing for 2000 cycles with 450g sponge. (3)The PH value of skin irritant is less than 2, and there is no abnormality in oral acute toxicity.	Urinal	U0296N	01903	In compliance with the requirements of 「TN-052 Verification and Validation Standard on Nano Antibacterial Products -Type II」 : the following specifications are satisfied, (1)The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 99% before scrub resistance test. (2)Durability (scrub resistance) test : The antibacterial rate against specific Staphylococcus aureus and Escherichia coli must be higher than 90% after scrubbing for 2000 cycles with 450g sponge. (3)The PH value of skin irritant is less than 2, and there is no abnormality in oral acute toxicity.
	L2150NS	02982			U0231N	01904	
	L2150ND	02983			U0240N	01907	
	L2150NH	02984			U0285N	01908	
	L2150NDH	02985			U0221N	01909	
	L2140NS	02986			UA0287N	01910	
	L2140ND	02987			UF0265N	01911	
	L2140NH	02988			UF0286N	01912	
	L5018NS	02989			U0230N	01913	
	L5018ND	02990			UMP0287N	01914	
	LF5126N	02991			UMP0283N	01915	
	LF5259N	03055			UMP0295N	01916	
	L2152NS	03128			U0284N	02992	
	L2152ND	03129			U0288N	02993	
	L2152NH	03130			U0264N	02994	
	L2152NDH	03131			U0266N	02995	
	L2365NS	03132			U0252N	02996	
	L5261N	03133			U0267N	02997	
	L5216N	03134			U0232N	03056	
Urinal	LF5239LN	03166	U0233N	03057			
	L5019N	03167	U0289N	03058			
	LF5040N	03168	U0237N	03135			
	LF5261N	03169	U0239N	03136			
	U0210N	01891	U0211N	03170			
	U0261N	01894	Following blank				
	U0262N	01895					
	U0291	01897					
	UA0295N	01900					
UA0283N	01901						
U0282N	01902						

**Taiwan Nanotechnology
Industry Development Association**

Jan.01, 2021